

# THE HOOC GATEWAYS




The entrance to your digital future.

# THE HOOC GATEWAYS

**Our HOOC gateways are the link between the HOOC Cloud and your sites.**

Our HOOC gateways are the link between the HOOC Cloud and your sites. They enable you to monitor, program and control them from a distance. Every gateway is preconfigured and ready to use upon delivery.

You can handle your HOOC gateways either via the HOOC ManagementPortal or with the ClientApp, CompactApp or your company app (if you have integrated the HOOC VPN). The HOOC gateways are available as physical gateways (Connect H to XT), virtual gateways (Connect V-IoT and V-FW) or even as embedded version (Connect E).



Our physical gateways

# THE X SERIES

We continue to develop. Always.

This also applies to our gateways. In this sense, the new X series is an extension of our existing models. Thus, the gateways of the X series combine even more functionalities in one device.











# BASIC

## ALL X-GATEWAYS INCLUDE THE FOLLOWING BASIC FEATURES

---

-  Possibility to switch VPN on and off via digital input
-  WAN to LAN forwarding options
-  Possibility to export configuration
-  1x RS485 for Modbus/RTU interface
-  4 x I/O's (2 digital inputs and 2 digital outputs)
-  1 x combined WAN/LAN port and 3 x LAN ports

# CONNECT X

The Connect X is our new all-rounder. It combines all current functionalities in a single device.

## IN ADDITION TO THE BASIC FUNCTIONS

---

LTE/Mobile, LoRaWAN, WLAN

## THE CONNECT X IS PERFECT FOR

---

- Just everything



# CONNECT XM

Like our proven Connect M, the new Connect XM is a real M...ust for your mobile remote access.

## IN ADDITION TO THE BASIC FUNCTIONS

---

LTE/Mobile, WLAN

## THE CONNECT XM IS PERFECT FOR

---

- Connection of sites without Internet access
- Machine controls and industrial sites



# CONNECT XF

The Connect XF is your top choice for the energy-efficient reception of sensor data over long distances and the retrofitting of older installations.

## IN ADDITION TO THE BASIC FUNCTIONS

---

LoRaWAN, WLAN

## THE CONNECT XF IS PERFECT FOR

---

- Retrofitting of sites and control systems
- Temporary measurements and monitoring



# CONNECT XH

Our Connect XH is the pimped version for Smart Home and HVAC systems. It fits on any DIN rail and in any control cabinet.

## IN ADDITION TO THE BASIC FUNCTIONS

---

WLAN

## THE CONNECT XH IS PERFECT FOR

---

- HVAC systems and PLC controls
- Building or industrial automation



# CONNECT XT

For specific applications with existing internet connection, we recommend our Connect XT.

## IN ADDITION TO THE BASIC FUNCTIONS

---

—

## THE CONNECT XT IS PERFECT FOR

---

- Remote maintenance of existing network infrastructures
- Realization of separate networks



Our physical gateways

# THE TRIED AND TRUE

**Never change a winning team.  
That is why we continue to produce our classics.**

## CONNECT H

The Connect H is the classic model for all HVAC applications in the building technology.

### THE CONNECT H OFFERS YOU

---

WLAN/LAN

### THE CONNECT H IS PERFECT FOR

---

- HVAC controls
- Building automation solutions



## CONNECT L

The Connect L is our test device and the classic version for your office and home.

### THE CONNECT L OFFERS YOU

---

LAN

### THE CONNECT L IS PERFECT FOR

---

- Remote maintenance of telephone systems and network infrastructure
- Remote access for office and smart home





Our virtual gateways

# THE V-SERIES

**Virtual gateways are used wherever multiple players (suppliers, manufacturers, technicians, etc.) have access to a network. With a Connect V, separate VLANs can be assigned or specific firewall settings can be made.**

## CONNECT V-IOT

Connected to a physical gateway, the Connect V-IoT allows to subdivide larger entities (schools, municipalities, corporations, etc.) into smaller structures in order to control them systematically and independently.

### THE CONNECT V-IOT IS PERFECT FOR

---

- Creating countless numbers of virtual sites based on one or more physical gateways
- Creating sub-groups and functional units that can work independently or together

## CONNECT V-FW

The Connect V-FW is a virtual gateway that can be opened or blocked for a specific function or time period, depending on the need and the actor.

### THE CONNECT V-FW IS PERFECT FOR

---

- Separate access for suppliers and integrators
- Separate VLAN accesses



# THE INTEGRATED GATEWAYS

**In addition to the installation of a physical or the configuration of a virtual gateway, you also have the possibility to directly integrate the HOOC software into your existing hardware. This embedding will save you a fair amount of time, costs, resources and energy. However, you might want to keep in mind that you will need some professional background knowledge for the proper integration of the HOOC embedded gateway.**

## CONNECT E

The Connect E is used for the integration in existing systems and suitable for different platforms (e.g., Raspberry Pi, Linux, Darwin, FreeBSD, MAC).

### THE CONNECT E IS PERFECT FOR

---

- The integration into existing control systems, hardware and server environments

## NO-GATEWAY-NEEDED

**You wouldn't believe it, but sometimes the HOOC solutions work just as well without a gateway. Namely with the right protocol – and the SEPROX service from HOOC Access. The no-gateway-needed version is especially interesting for remote control and smart alarm solutions, meaning HOOC Alert and HOOC Control.**

## MQTT

Thanks to the MQTT protocol, PLC controllers of the latest generation as well as certain field devices (e.g., Shelly remote I/O's) can be integrated automatically – and without conversion – into the HOOC ecosystem. This means that by using MQTT, you can send data from actuators, sensors and controllers to the HOOC Cloud and vice versa. An installation of a physical gateway or the integration of an embedded version is therefore not necessary.

### MQTT IS PERFECT FOR

---

- PLC controllers (latest generation)
- Shelly remote I/O's

# CONTACT

## HOOC AG

Torweg 8 | 3930 Visp  
+41 27 948 46 00 | [info@hooc.ch](mailto:info@hooc.ch)

[www.hooc.ch](http://www.hooc.ch)

## SOCIAL MEDIA

Check out our latest videos, features  
and product developments on

